

# Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Page: 1/11

Printing date: 10/21/2016 Revision: 10/21/2016

#### 1 Identification

· Product identifier

· Trade name: MM80

· Product code: MM80 Part A

· Recommended use and restriction on use

· Recommended use: Epoxy joint filler

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

METZGER/McGUIRE

Mailing Address:

PO Box 2217

Concord, NH 03302

Shipping Address:

807 Route 3-A

Bow, NH 03304

Phone: 603-224-6122

Toll Free: 800-223-6680 Email: info@metzgermcguire.com

Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

## 2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS07

· Signal word: Warning

· Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements:

P261 Avoid breathing mist, vapors, or spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.

(Cont'd. on page 2)



Page: 2/11

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 1)

P272 Contaminated work clothing must not be allowed out of the workplace.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water.

P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:				
	Trade Secret Polyglycidyl ether	30-60%		
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1B, H317			
	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700)	20-40%		
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317			
100-51-6	benzyl alcohol	<2%		
	♦ Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319			

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Do not pull solidified product away from the skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eve contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Headache

Breathing difficulty

Coughing

Allergic reactions

Irritant to skin and mucous membranes.

(Cont'd. on page 3)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 2)

Page: 3/11

Irritant to eyes.

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Vomiting. Diarrhea.

· Danger: Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

Contains reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700). May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If medical advice is needed, have product container or label at hand.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Water fog / haze

Foam

Gaseous extinguishing agents

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment as required.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not allow to dry out

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont'd, on page 4)



Page: 4/11

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 3)

See Section 13 for disposal information.

### 7 Handling and storage

- Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of aerosols.

Keep out of reach of children.

Avoid contact with the eyes and skin.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 100-51-6 benzyl alcohol

WEEL (USA) Long-term value: 10 ppm

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: No relevant information available.
- · Breathing equipment:

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

(Cont'd. on page 5)



# Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Page: 5/11

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

· Protection of hands:

(Cont'd. of page 4)



Protective gloves

· **Material of gloves** Nitrile rubber, NBR PVC gloves

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

Avoid release to the environment.

Physical and chemical properties					
Information on basic physical and chemical properties					
· Appearance:					
Form:	Viscous liquid.				
Color:	Gray				
· Odor:	Sweetish				
· Odor threshold:	Not determined.				
· pH-value:	Not determined.				
Melting point/Melting range:	Not determined.				
· Boiling point/Boiling range:	Not determined.				
· Flash point:	>93 °C (>199 °F)				
Flammability (solid, gaseous):	Not applicable.				
Auto-ignition temperature:	Not determined.				
Decomposition temperature:	Not determined.				
Danger of explosion:	Product does not present an explosion hazard.				
Explosion limits					
Lower:	Not determined.				
Upper:	Not determined.				
· Oxidizing properties:	Not determined.				
Vapor pressure:	Not determined.				
Density:					
Relative density at 20 °C (68 °F):	1.35 g/cm³ (11.266 lbs/gal)				
Vapor density:	Not determined.				
Evaporation rate:	Not determined.				

(Cont'd. on page 6)



Page: 6/11

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 5)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** 7000-14000 cPs **Kinematic:** Not determined.

• Other information No relevant information available.

#### 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Exothermic polymerization.

Reacts with oxidizing agents.

Reacts with strong acids and alkali.

Reacts with peroxides and other radical forming substances.

· Conditions to avoid

Store away from oxidizing agents.

Avoid acids.

Excessive heat.

- · Incompatible materials Oxidizers, strong bases, strong acids
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:				
25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)					
Oral	LD50	>2000 mg/kg (rat, female)			
Dermal	LD50	>2000 mg/kg (rat)			
1	100-51-6 benzyl alcohol				
Oral	LD50	1230 mg/kg (rat)			

- Primary irritant effect:
- On the skin: Irritant to skin and mucous membranes.
- · On the eve: Irritating effect.

Dermal LD50 2000 mg/kg (rabbit)

· Sensitization: Sensitization possible through skin contact.

(Cont'd. on page 7)



Page: 7/11

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 6)

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Irritating if inhaled, causing symptoms of coughing and shortness of breath.

Danger through skin absorption.

- · Repeated dose toxicity: No relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

#### 12 Ecological information

- · Toxicity
- Aquatic toxicity

Toxic to aquatic life with long lasting effects.

# 25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

EC50 2.7 mg/kg (daphnia) (48hr)

LC50 1.2 mg/l (Oncorhynchus mykiss) (96hr)

2.4 mg/l (zebra fish) (96hr)

#### 100-51-6 benzyl alcohol

LC50 460 mg/l (pimephales promelas)

- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Cont'd. on page 8)



Page: 8/11

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 7)

· Other adverse effects No relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT · ADR, IMDG, IATA	Not regulated. UN3082
· UN proper shipping name · DOT · ADR, IMDG · IATA	Not regulated. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL-A EPOXY RESIN) Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A epoxy resin)
· Transport hazard class(es)	
· DOT · Class	Not regulated.
· ADR	
· Class	9 (M6) Miscellaneous dangerous substances and articles
Label	9
· IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9





## acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

	(Cont'd. of page 8)	
· Packing group · DOT · ADR, IMDG, IATA	Not regulated. III	
· Environmental hazards · Marine pollutant:	Product contains environmentally hazardous substances: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700) Symbol (fish and tree)	
Special precautions for user  Danger code (Kemler): EMS Number:	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F	
Transport in bulk according to Annex II of  MARPOL73/78 and the IBC Code  Not applicable.		
· Transport/Additional information:	Not regulated when carried in single or combination packaging containing a net quantity of 5L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(c)(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197	
· DOT · Remarks:	Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.	

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Cont'd. on page 10)



Page: 10/11

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 9)

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

107-21-1 ethylene glycol

· Carcinogenic categories

EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 10/21/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

(Cont'd. on page 11)



# Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Page: 11/11

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 10)

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com